Art, ichthyology, Charles Darwin and the Northern Territory of Australia

TIM M. BERRA

Research Associate, Museum and Art Gallery of the Northern Territory, GPO Box 4646, Darwin NT 0801, AUSTRALIA and Department of Evolution, Ecology and Organismal Biology,

The Ohio State University, Mansfield, Ohio 44906, USA berra.1@osu.edu

ABSTRACT

This paper reflects on the antiquity and continuation of depictions of fishes dating back 24 000 years as highlighted by some specific illustrations. The earliest Aboriginal depictions of fishes date to about 8000 years ago. An Aboriginal x-ray bark painting of a barramundi, *Lates calcarifer* (Centropomidae), by Jimmy Njiminumna is juxtaposed with a modern scientific illustration of a barramundi skeleton by Christopher May. A recent commissioned x-ray painting of a nurseryfish, *Kurtus gulliveri* (Kurtidae), from the Adelaide River by Joshua Bangarr represents the first known Aboriginal drawing of this species. Some fishes named in honour of Charles Darwin and the Port of Darwin are discussed. A drawing from 1878 of a jawfish, *Opistognathus darwiniensis* (Opisthognathidae), described from Darwin Harbour and a 1911 drawing of the gudgeon, *Mogurnda mogurnda* (Eleotridae), described from Port Essington in 1844, are presented.

KEYWORDS: Aboriginal art, barramundi, Charles Darwin, Port of Darwin, Lates calcarifer, Kurtus gulliveri, Mogurnda mogurnda, Opistognathus darwiniensis, prehistoric art, scientific illustration, skeleton.

INTRODUCTION

Symbolic engravings appeared in the archaeologieal repertoirc of anatomically modern Homo sapiens in the Middle Stone Agc of southern Africa 77 000 years ago (Henshilwood et al. 2002). About 40 000 years ago, at the beginning of the Upper Palcolithic in Europe, an explosion of image-making coincided with a major cultural transformation that included musical instruments, new kinds of tools and wcapons, fired ceramics, weaving, and long-distance trade (White 2003). Traditionally, the oldest cave paintings in the world were radiocarbon dated from about 32 000 years ago in Chauvet Cave of the Ardèche region of France (Clottes et al. 1996, Clottes 2003; Wong 2005). Recent developments in radioearbon dating methodology indicate that the spectacular menagerie of Ice Age animals drawn in ochre in the galleries of Chauvet Cave can now be said to date from about 36 000 years BP in real terms as compared to about 32 000 years BP in radioearbon terms (Mellars 2006a). Klingender (1971) comprehensively reviewed animals in art.

People have been depicting fishes for millennia. The oldest known fish representation is a salmon sculpted in the roof of the 'Shelter of the Fish' at Les Eyzies, in the Dordogne River region of France about 24 000 years ago (Ruspoli 1987). A pike is engraved along the back of a horse at Pech-Merle in the Lot River region of France. This site is 20 000 years old (Ruspoli 1987). The Magdalenian culture (18 000–11 000 years ago) of Western

and Central Europe represents the apogée of Palaeolithie art and Lascaux Cave (France) is its most notable example (Ruspoli 1987; White 2003). Depictions of salmon, trout, pike, sole and eel, although rare on rock walls, were more commonly etched on small artifacts of reindeer antler and bone (mobiliary art) from Middle-Magdalenian sites about 14 000 years ago (Ruspoli 1987; Moyle and Moyle 1991).

The style and materials used by artists is a reflection of the culture from which the artist comes. This includes an indigenous taxonomy and totemic system used by the people of that culture. Similarly, scientific illustrators are guided by principles and conventions (e.g., Weitzman 2003) and aided by available technology such as camera lucidae, stereoscopic microscopes and computer graphics. Moyle and Moyle (1991) introduced a series of 80 papers detailing many forms of fish imagery in art in *Environmental Biology of Fishes* from 1991–1995. Whitehead (1991) described what he termed "scientific surrealism" which involves the combination of incongruous images as in a dream. This surely reached its peak with the fish art of Ray Troll (2004).

ABORIGINAL ICHTHYOLOGY AND SCIENTIFIC ILLUSTRATION

An emerging consensus points to the arrival of humans in Australia shortly after 60 000 years ago (Roberts and Jones 2001), although some authorities consider this date speculative and contested, and prefer a more conservative estimate of 45 000 BP (Mellars 2006b). The oldcst known Aboriginal campsites may date back to an upper limit of 60 000 years ago in Kakadu National Park at the foot of the western escarpment of the Arnhem Land plateau (Roberts et al. 1990). Used pieces of haematite and red ochre-impregnated grindstone from the Kakadu area suggest pigment use 50 000 years ago (Chaloupka 1993). Some of the earliest representations of fishes were made by Aboriginal rock artists during the Estuarine Period 8000-1500 years ago (Chaloupka 1993). White (2003) considered the Estuarine Period as 6000-1500 years ago. Mulvaney and Kamminga (1999) discussed alternative schemes for dating and elassifying different motifs, but they also noted areas of eoncordance among the various approaches. Sixteen fish taxa from fresh, brackish, and marine waters have been identified by Chaloupka (1993) in the rock art of the Arnhem Land Plateau (Table 1). A similar list of 11 species is given by Taylor (1987). The greatest concentration of fish images is found in shelters near the lower reaches of the East Alligator River. The most commonly represented species (barramundi, forktailed catfish and mullet) were of economic importance to the local people, and they are rendered with substantial accuracy (Taylor 1987; Chaloupka 1993). Commonly illustrated freshwater species from the middle reaches of northern rivers include archerfish, sooty grunter, long tom, saratoga and eel-tailed catfish.

X-ray paintings are so called because they are naturalistic depictions that show skeletal or iconically motivated motifs to represent internal organs such as the spinal column, heart and digestive traet (Taylor 1987; Mulvaney and Kamminga 1999). Taylor (1987), in his analysis of both mundane and esoteric ceremonial encoded meanings in Kunwinjku bark paintings from western Arnhem Land, showed how their x-ray art is basically iconic, that is, it reflects the naturalistic features of particular species. Iconicity is defined as the formal resemblanec between the painted form and the object or species represented. The artists say that the depicted organs "look like" the organs they represent as opposed to geometric, cross-hatched or parallel line infill x-ray motifs that symbolise some organs or body regions (Taylor 1987). The organs (or species) are meant to be obvious to other Kunwinjku or even Europeans familiar with the species under discussion.

Figure 1 is a representative x-ray painting of a barramundi from the collection of the Museum and Art Gallery of the Northern Territory (hereafter NTM) (ABART-0660). The natural pigments on bark painting was done by the late Jimmy Njiminjuma of Maningrida in 1979 and is entitled Namarngol the Barramundi. The vertebral column with neural and haemal spines is shown as white dashes and ehevron-shaped marks along the length of the middle of the body. The crescent-shaped white structure below the spinal column represents the swim bladder atop the brown stomach. A long wavy intestine leaves the ventral surface of the stomach and exits the body posteriorly. The lateral line is correctly shown extending onto the rounded caudal fin. This feature is characteristic of the family Centropomidae. Sensory pores are also represented on the head. The long spiny dorsal fin joins the rounded soft dorsal fin posteriorly, and the concave head slope is accurately depicted. This indicates a high degree of realism based upon observation and familiarity with the species, and the naturalistic x-ray infill is typical of items restricted to the pragmatic realm of food (Taylor 1987). Other examples of Njiminjuma's art are discussed by Taylor (1987: plates 4.14, 8.20), and a Njiminjuma Rainbow Serpent is reproduced in Isaacs (1980: 63).

Table 1. Fishes depicted in Arnhem Land rock art, updated from Chaloupka (1993), and their corresponding Aboriginal name, widely understood by Western Arnhem Land peoples. Paintings of these fishes are illustrated in Chaloupka's *Journey in Time*. The phylogenetic arrangement of families follows Nelson (1994) and Berra (2001).

Family	Species	Common Name	Aboriginal Name
Careharhinidae	Carcharhinus leucas	Bull shark	
Pristidae	Pristis microdon	Freshwater sawfish	
Dasyatidae	Dasyatis fluviorum	Estuary stingray	
Osteoglossidae	Scleropages jardinii	Gulf saratoga	Guluibirr
Megalopidae	Megalops cyprinoides	Oxeye herring	Garlalba
Clupeidae	Nematolosa erebi	Bony bream	Nabardebarde
Plotosidae	Anodontiglanis dahli	Toothless eatfish	Nagurl
Plotosidae	Neosilurus ater	Black eatfish	Binijdjarrang
Plotosidae	Neosilurus sp.	Eel-tailed eatfish	Ganbaldjdja
Ariidae	Ariopsis leptaspis	Fork-tailed eatfish	Almakkawarri
Mugilidae	Liza alata	Diamond mullet	Madjabarr
Belonidae	Strongylura kreffti	Freshwater longtom	Burrugulung
Centropomidae	Lates calcarifer	Barramundi	Namarngorl
Toxotidae	Toxotes chatareus	Common areherfish	Njarlgan
Toxotidae	Toxotes lorentzi	Primitive areherfish	
Terapontidae	Hephaestus fuliginosus	Sooty grunter	Nagenjhmi (male) Galarrk (female)

Art, ichthyology, Charles Darwin and the Northern Territory



Fig. 1. X-ray painting, natural pigments on bark, Namarngol the Barramundi, by Jimmy Njiminjuma from the collection of the NTM ABART-0660. 124 x 55 cm. © Jimmy Njiminjuma licensed by Viscopy, Australia, 2005. Photo by Gilbert Herrada.

Fig. 2. Barramundi skeleton in colour pencil by Christopher May. The actual total length of the drawing is 538 mm. © Christopher May.

Figure 2 is a recent scientific illustration of the barramundi's skeleton drawn in coloured pencil by Queensland artist, Christopher May. The skeleton was prepared as a display specimen for the NTM in the late 1980s by Ian Archibald and Andrew Cappo. There are no recorded collection data for it, but the specimen's total length is 1080 mm. This illustration shows the exact number of vertebrae (25, Nelson 1994), protruding lower jaw with small teeth, serrated preopercle and the very large mouth typical of barramundi. The first dorsal fin has seven spines. One spine precedes the second dorsal fin and its 11 branched soft rays. Three anal spines precede the eight soft anal rays. Greenwood (1976) reviewed the ostcology of centropomids including *Lates.*

The x-ray painting is obviously more stylised than the scientific illustration, but it is nevertheless clearly recognisable as a barramundi. Both representations are aesthetically pleasing and objects of beauty from the cultures they represent. Their appeal is eross-cultural.

The nurseryfish, *Kurtus gulliveri* Castelnau (Perciformes: Kurtidae), is an unusual fish found in fresh and brackish waters of northern Australia and southern New Guinea (Berra 2003). This species has a remarkable method of egg brooding. The male carries the eggs on a hook on his head like a bunch of grapes (Weber 1913; de Beaufort 1914). Until 2001 when 1 began fieldwork on the Adelaide River, the most recent papers published on this

species were the two references cited above. The seven recent papers published on nurseryfish biology to date are referenced by Berra et al. (2004). This species is unknown to local people. No representation of nurseryfish is present in the art collection of the NTM. Local Aboriginal artists did not recognise the fish when I showed them photographs or specimens, and they have no word for this species in their language. Barramundi anglers almost never catch nurscryfish. So poorly was this fish known that several people in Darwin called the local radio station to express disbelief that such a fish existed when my research was discussed on the ABC radio in 2001. The only group aware of its existence was the commercial barramundi fishers who caught it in their gill nets, and referred to it as "breakfast fish". Dennis McCarthy of the Didgeridoo Hut and Art Gallery south of Darwin arranged for Joshua Bangarr, a well-known Kunwinjku artist from Arnhem Land, whose work appears in Images in Ochre (Parker 1997), to draw a male and female nurseryfish for me from photographs 1 supplied. This drawing is reproduced as Figure 3. It was done with the fibrous stem of a freshwater reed pared to the thickness required for undertaking the finc line work in the artist's Yirridja moiety group (D. McCarthy, pers. comm.). The four ochre colours are used: yellow, red, white, black. The artist captured the essential sexual dimorphism of the male's supraoccipital hook. The concave snout, long anal fin and deeply forked caudal fin



Fig. 3. Male (top) and female nurseryfish, *Kurtus gulliveri*, by Joshua Bangarr from the private collection of the author. X-ray painting on fibreboard (cropped) 58 x 41 cm.

are accurately represented. The painting is also an x-ray image with a naturalistic vertebral column and oval shaped stomach depieted in a geometric type of infill.

CHARLES DARWIN, THE NORTHERN TERRITORY AND NEW FISH SPECIES DESCRIPTIONS

Charles Darwin collected 137 fish species during the voyage of the Beagle from 1831-1836. The vast majority of those were described by Jenyns (1840-1842). From the scholarship of Pauly (2004), we know that Darwin commented on 91 species of mostly European fishes in his publications, notebooks and correspondence. Seventcen fish species have been named after Charles Darwin. Gephyroberyx darwinii, Darwin's roughy, is an example of such an eponym. This member of the Trachichthyidae was originally described as Trachichthys darwinii by Johnson (1866) from deep water off Madeira, but now is known from around the world including western and southern Australia in waters about 270-825 m deep. The Australian name of roughy is due to the large, sharp ventral scutes (Wheeler 1975). This species can reach 46 cm and is remarkably long-lived, up to 149 years (Fenton et al. 1991).

A number of fish species were named after the Port of Darwin. Such second order eponyms include *Lates darwiniensis* Macleay (1878), which is a junior synonym




Fig. 4. The Darwin jawfish, *Opistognathus darwiniensis*. The actual total length of the drawing as it appeared in Maeleay (1878: pl. 9, fig. 3) was only 50 mm.

of Lates calcarifer (Bloch), the barramundi (Paxton et al. 1989). The Darwin jawfish, Opistognathus darwiniensis, was described by Macleay (1878) from Port Darwin (Fig. 4). This Australian member of the Opistognathidae is known from Ningaloo Reef, Western Australia to the Gulf of Carpentaria. It inhabits shallow reefs in sandy or rubble areas and can reach 50 cm. It is distinguished by the presence of yellow and brown bands on its fins (Allcn 2000). Jawfish live in burrows that they construct themselves and enter tail first. Figure 4 resembles a sketch a scientist might make in a field notebook rather than a formal scientific illustration. It does not attempt to represent the individual scale count or pattern. While not possessing the artistic elegance of Figure 5, it does convey the essential scientific information required for a new species description. The bulbous head with large mouth and canine teeth, tapering narrow body, pelvic fins positioned anteriorly to pectoral fins, and lateral line canals embedded in the skin clearly assign this fish to the Opistognathidae (Smith-Vaniz 2000). In this way Figure 4 may also be considered an iconic illustration not unlike Figures 1 and 3. A modern colour painting of Opistognathus darwiniensis can be found in Allen (2000).

Larson and Martin (1990) listed 17 taxa of fishes described as new to science from fresh waters of the Northern Territory. One of these, the purple-spotted gudgeon, *Mogurnda mogurnda* (Richardson), was described from Port Essington. This species is widespread in vegetated streams of the Timor and Gulf of Carpentaria drainages, southern New Guinea and parts of inland Lake Eyre drainage in the Northern Territory. It commonly reaches 10 cm, may grow to 17.5 cm, is colourful, especially the males during courtship, and breeds readily in captivity. Figure 5 is a portrait by J. F. Obbes of *M. mogurnda* from Weber (1911) that shows two to three diagonal dark bands radiating from below the eye across the operculum and the distinctive series of seven to eight




Fig. 5. The purple-spotted gudgeon, Mogurnda mogurnda, drawn by J. F. Obbes and reproduced from Weber (1911: pl. 1, fig. 1).

purple and red blotches along the flanks of the body (Larson and Martin 1990; Allen *et al.* 2002). Scales and fin spines and rays are accurately depicted as they should be in a scientific illustration while the overall impression is aesthetically pleasing.

It may be suggested that the portrayal of fishes by artists represents a sliding scale of differences in which certain iconic similarities exist according to the particular requirements and cultural orientations of the illustrator. Aboriginal and indigenous artists of different cultures use fish images that are more symbolic to convey a message or an abstract idea. Scientific illustrators convey a precise essence of the animal itself for a practical application. Fine artists that delve into exact likenesses of fishes and use science to fuel their creative fires, blur the distinctions. An example of the latter include the fish paintings of Tasmanian convict-artist William Buelow Gould, so imaginatively portrayed in the literary masterpicce *Gould's Book of Fish* by Australian novelist Richard Flanagan (2001).

ACKNOWLEDGMENTS

I am grateful to M. West whose suggestions greatly improved the manuscript and for suggesting the barramundi x-ray painting and to G. Herrada for photographing it. The NTM provided permission to reproduce this work (RR5004/359). Christopher May graciously allowed the reproduction of his barramundi skeleton drawing. The nurseryfish painting would not have existed without the talent of J. Bangarr and the thoughtfulness of D. McCarthy. Figure 4 was photographed by J. Smith of Ohio State University Libraries, and S. Hasley arranged the rather obscure interlibrary loans. Ichthyologists T. Pietsch, W. Anderson, B. Burr, P. Moyle and artists R. Troll and J. Thrasher commented on early versions of the manuscript. I appreciate all this assistance.

REFERENCES

- Allen, G.R. 2000. Marine fishes of tropical Australia and South-east Asia. Western Australian Museum: Perth.
- Allen, G.R., Midgley, S.H. and Allen, M. 2002. *Field guide to the freshwater fishes of Australia*. Western Australian Museum: Perth.
- Berra, T.M. 2001. Freshwater fish distribution. Academic Press: San Diego.
- Berra, T.M. 2003. Nurseryfish, Kurtus gulliveri (Pereiformes: Kutidae), from northern Australia: redescription, distribution, egg mass, and comparison with K. indicus from southeast Asia. Ichthyological Explorations of Freshwater 14: 295–306.
- Berra, T.M., Wedd, D. and Allsop, Q. 2004. Observation of egg earrying by male nurseryfish, *Kurtus gulliveri* (Pereiformes: Kurtidae), and natural history notes from northern Australia. *The Beagle, Records of the Museum and Art Galleries of the Northern Territory* 20: 187–193.
- Bloch, M.E. 1790. Naturgeschichte der ausländischen fische. Pt. 4. J. Morino: Berlin.
- Chaloupka, G. 1993. Journey in time. Reed Books: Sydney, NSW.

- Clottes, J. 2003. Chauvet Cave: The art of earliest times. University of Utah Press; St. Lake City.
- Clottes, J.M., Deschamps, E.B. and Hillaire, C. 1996. Dawn of art: the Chauvet Cave. H. H. Abrams: New York.
- de Beaufort, L.F. 1914. Die anatomie und systematische stellung de genus Kurtus Bloch, Gegenbaurs Morphologisches Jahrbuch 48: 391–410.
- Fenton, G.E., Short, S.A. and Ritz, D.A. 1991. Age determination of orange roughy *Hoplostethus atlanticus* (Pisces: Trachichthyidac) using 210 Pb/226Ra discquilibria. *Marine Biology* 109: 197–202.
- Flanagan, R. 2001. *Gould's book of fish*. Pan Maemillan: Sydney; Grove Press: New York.
- Greenwood, P.H. 1976. A review of the family Centropomidae (Pisces, Pereiformes). Bulletin of the British Museum (Natural History) Zoology 29(1): 1–81.
- Henshilwood, C.S., d'Errico, F., Yates, R., Jacobs, Z., Tribolo, C., Duller, G.A.T., Mercier, N., Sealy, J.C., Valladas, H., Watts,
 1. and Wintle, A.G. 2002. Emergence of modern human behavior: Middle Stone Age engravings from South Africa. *Science* 295: 1278–1280.
- Isaaes, J. (ed.) 1980. Australian dreaming: 40,000 years of Aboriginal history. Lansdowne Press: Sydney.
- Jenyns, L. 1840–1842. Fish. In: Darwin, C. (ed.) The zoology of the voyage of H. M. S. Bcagle, under the command of Captain Fitzroy, R. N. during the years 1832 to 1836. Smith, Elder and Co.: London.
- Johnson, J.Y. 1866. Description of *Trachichthys darwinii*, a new species of berycoid fish from Madeira. *Proceedings of the Zoological Society of London* 1866 (2): 311–315.
- Klingender, F. 1971. Animals in art and thought to the end of the Middle Ages. M.I.T. Press: Cambridge..
- Larson, H.K. and Martin, K.C. 1990. Freshwater fishes of the Northern Territory. Northern Territory Museum of Arts and Sciences Handbook Series No. 1: Darwin, NT.
- Maeleay, W. 1878. The fishes of Port Darwin. Proceedings of the Linnean Society of New South Wales 2(4): 344–367.
- Mellars, P. 2006a. A new radiocarbon revolution and the dispersal of modern humans in Eurasia. *Nature* **439**: 931–935.
- Mellars, P. 2006b. Going east: New genetic and archaeological perspectives on the modern human colonization of Eurasia. *Science* 313: 796–800.
- Moyle, P.B. and Moyle, M.A. 1991. Introduction to fish imagery in art. Environmental Biology of Fishes 31: 5–23.
- Mulvaney, J. and Kamminga, J. 1999. *Prchistory of Australia*. Smithsonian Institution Press: Washington, DC.
- Nelson, J.S. 1994. Fishes of the world 3rd ed. Wiley: New York.
- Parker, A. 1997. Images in ochre. Kangaroo Press: Roseville.
- Pauly, D. 2004. Darwin's fishes. Cambridge University Press: Cambridge.
- Paxton, J.R., Hoese, D.H., Allen, G.R. and Hanley, J.E. 1989. *Pisces: Petromyzontidae to Carangidae*. Vol. 7. Zoological Catalogue of Australia. Australian Government Publishing Service: Canberra.
- Richardson, J. 1844. Ichthyology. Pp 4. In: Richardson, J. and Gray, J.E. (eds) The zoology of the voyages of HMS Erebus and Terror under the command of Captain Sir James Clark Ross, R. N. during 1839–43, E. W. Janson: London.
- Roberts, R.G. and Jones, R. 2001. Chronologies of carbon and of silica: evidence concerning the dating of the earliest human presence in northern Australia. Pp 239-248 In: Tobias, P. V., Raath, M.A., Moggi-Cecchi, J. and Doyle, G. A. (eds) *Humanity from African naissance to coming millennia:* colloquia in human biology and palaeoanthropology. Firenze and Witwatersrand University Press: Johannesburg.

Art, ichthyology, Charles Darwin and the Northern Territory

- Roberts, R.G., Jones, R. and Smith, M.A. 1990. Thermoluminescence dating of a 50,000-year-old human occupation site in northern Australia. *Nature* 345: 153–156.
- Ruspoli, M. 1987. *The cave of Lascaux: the final photographs*. H. N. Abrams: New York.
- Smith-Vaniz, W.F. 2000 (imprint 1999). Opistognathidae. Pp 2588– 2589. In: Carpenter, K. E. and Nicm, V. H. (eds) FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 4. Bony fishes part 2 (Mugilidae to Carangidae). FAO: Rome.
- Taylor, L. 1987. The same but different: Social reproduction and innovation in the art of the Kunwinjku of western Arnhem Land. Unpublished Ph.D. thesis. The Australian National University: Canberra. (Published in 1996 as Seeing the inside. Clarendon Press: Oxford).
- Troll, R. 2004. *Rapture of the deep*. University of California Press: Berkeley.

- Weber, M. 1911. Die fische der Aru- und Kei-Inseln. Ein beitrag zur zoolographie dieser inseln. Abhandlungen Senckenbergischen Naturforschenden Gesellschaft, Frankfurt-a.-M. 34: 1–49.
- Weber, M. 1913. Süsswasserfische aus Niederländisch süd-und nord-Neu-Guinea. In: Nova Guinea. Résultats de l'Expédition Scientifique Néerlandaise à la Nouvelle-Guinée en 1907 et 1909. Zoologie, Leiden. Vol. 9: 513–613.
- Weitzman, S.H. 2003. Illustrating fishes. Pp 365-384. In: Hodges, E.R.S. (ed.) *The guild handbook of scientific illustration* 2nd edition. Wiley: Hoboken.
- Wheeler, A. 1975. Fishes of the world. Macmillan Publ. Co.: New York.
- White, R. 2003. *Prehistoric art: the symbolic journey of humankind*. H.N. Abrams, Ine: New York.
- Whitehead, P. J. 1991. Prelude to 'Fish imagery in art': the birth of scisurr. Environmental Biology of Fishes 31: 1–3.
- Wong, K. 2005. The morning of the modern mind. Scientific American 292: 86–95.

Accepted 8 June 2006